

Markdown Cheatsheet

Headers

```
# H1
## H
### H3
#### H4
##### H5
##### H6
```

Alternatively, for H1 and H, an underline-ish style:

```
Alt-H1
=====
```

```
Alt-H
-----
```

H1

H

H3

H4

H5

H6

Alternatively, for H1 and H, an underline-ish style:

Alt-H1

Alt-H

Emphasis

Emphasis, aka italics, with *asterisks*.

Strong emphasis, aka bold, with **asterisks**.

Emphasis, aka italics, with *asterisks*.

Strong emphasis, aka bold, with **asterisks**.

Lists

(In this example, leading and trailing spaces are shown with with dots: ·)

```
1. First ordered list item
. Another item
··* Unordered sub-list.
1. Actual numbers don't matter, just that it's a number
··1. Ordered sub-list
4. And another item.

···You can have properly indented paragraphs within list items. Notice the
blank line above, and the leading spaces (at least one, but we'll use three
here to also align the raw Markdown).

···To have a line break without a paragraph, you will need to use two
trailing spaces.··
···Note that this line is separate, but within the same paragraph.··

* Unordered list can use asterisks
- Or minuses
+ Or pluses
```

1. First ordered list item . Another item
 - Unordered sub-list.
1. Actual numbers don't matter, just that it's a number
2. Ordered sub-list
3. And another item.

You can have properly indented paragraphs within list items. Notice the blank line above, and the leading spaces (at least one, but we'll use three here to also align the raw Markdown).

```
To have a line break without a paragraph, you will need to use two trailing
spaces.\\ Note that this line is separate, but within the same paragraph.

* Unordered list can use asterisks
```

* 0r minuses

* 0r pluses

Links

There are two ways to create links.

```
[I'm an inline-style link](https://www.google.com)
```

```
[I'm an inline-style link with title](https://www.google.com "Google's Homepage")
```

```
[You can use numbers for reference-style link definitions][1]
```

URLs and URLs in angle brackets will automatically get turned into links in the preview.

<http://www.example.com> or `<http://www.example.com>`

```
[1]: https://www.qownnotes.org
```

[I'm an inline-style link](https://www.qownnotes.org)

[I'm an inline-style link with title](https://www.qownnotes.org)

[You can use numbers for reference-style link definitions](https://www.qownnotes.org)

URLs and URLs in angle brackets will automatically get turned into links in the preview.

<http://www.example.com> or <http://www.example.com>

Inline code and code blocks

```
Inline `code` has `backticks` around it.
```

Inline code has backticks around it.

Blocks of code are either fenced by lines with three backticks, or are indented with four spaces.

4-Spaces fence

```
    s = "Code with space indent"
    print s
```

```
s = "Code with space indent"
print s
```

Backtick fence

```
Code goes here
Code goes here
```

```
Code goes here
Code goes here
```

Backtick fence with code highlighting

```
# I am a comment
cd Notes
```

Tables

Tables aren't part of the core Markdown spec, but the QOwnNotes preview supports them.

Colons can be used to align columns.

```
| Tables      | Are          | Cool  |
| :-----: | :-----: | :-----: |
| col 3 is   | right-aligned | $1600 |
| col is     | centered    | $1    |
| zebra stripes | are neat   | $1    |
```

There must be at least 3 dashes separating each header cell. The outer pipes (|) are optional, and you don't need to make the raw Markdown line up prettily. You can also use inline Markdown.

```
Markdown | Less | Pretty
--- | --- | ---
*Still* | `renders` | **nicely**
1 | | 3
```

Colons can be used to align columns.

Tables	Are	Cool
col 3 is	right-aligned	\$1600
col is	centered	\$1
zebra stripes	are neat	\$1

There must be at least 3 dashes separating each header cell. The outer pipes (|) are optional, and you don't need to make the raw Markdown line up prettily. You can also use inline Markdown.

Markdown	Less	Pretty
<i>Still</i>	renders	nicely
1		3

Blockquotes

```
> Blockquotes are very handy in email to emulate reply text.
> This line is part of the same quote.
```

Quote break.

```
> This is a very long line that will still be quoted properly when it wraps.
Oh boy let's keep writing to make sure this is long enough to actually wrap
for everyone. Oh, you can put Markdown into a blockquote.
```

Blockquotes are very handy in email to emulate reply text. This line is part of the same quote.

Quote break.

This is a very long line that will still be quoted properly when it wraps. Oh boy let's keep writing to make sure this is long enough to actually wrap for everyone. Oh, you can *put* **Markdown** into a blockquote.

Horizontal Rule

Three or more...

Hyphens

Asterisks

—

Underscores

Three or more...

Hyphens

Asterisks

Underscores

Line Breaks

Here's a line for us to start with.

This line is separated from the one above by two newlines, so it will be a **separate paragraph**.

This line is also begins a separate paragraph, but...

This line is only separated by two trailing spaces and a single newline, so it's a separate line in the **same paragraph**.

Here's a line for us to start with.

This line is separated from the one above by two newlines, so it will be a *separate paragraph*.

This line is also begins a separate paragraph, but...

This line is only separated by two trailing spaces and a single newline, so it's a separate line in the *same paragraph*.

Comments

[comment]: # (This comment will not appear in the preview)

Checkbox lists

- [x] done
- [] todo

- [x] done
- [] todo

From:

<https://wiki.roccosette.com/> - Wiki of rsette

Permanent link:

<https://wiki.roccosette.com/doku.php?id=wiki:markdown>

Last update: **2024/04/12 23:29**

